







# WORKING ENVIRONMENTS IN STEP WITH TODAY'S WORLD

The modern working environment is a flood of data and information. Unless you're flexible, mobile and plugged into the Net around the clock, you're at a clear disadvantage. With Konica Minolta you can have the information at your fingertips wherever and whenever you need it.

Our solutions enhance and accelerate your business activities rather than slowing them down. It's the only way to stay ahead of your competitors and serve your customers competently. So with this in mind, we'd like to wish you an enjoyable and fruitful working day!



# bizhub 308

- □ Up to 30 pages per minute

### ✓ Functionality



- Black & white PCL/PS
- USB - Mobile
- Printing





- Colour Black & whiteScan-to-eMail
- Scan-to-Me Scan-to-SMB

- Super G3 Fax

- PC-Fax

- Scan-to-Home
- Scan-to-USB - Scan-to-WebDAV
- Scan-to-FTP Scan-to-Box
- Scan-to-URL
- Scan-to-DPWS TWAIN Network









- Reprint Distribution

Sharing Box-to-Box - Box-to-USB














### Technology

Emperon™ – print controller	Easily compatible with different users and IT environments through Konica Minolta's unified print technology	
Simitri® HD – polymerised toner	Delivers high print quality and yet ensures reduced print spending as well as lower environmental impact	V
OpenAPI – solution platform	Server-based applications provide efficient workflows for the entire MFP fleet	V
i-Option – special feature	Offers extended scope and advanced MFP functionality in line with individual requirements	V
CSRC – remote service	Keeps productivity up with online monitoring of devices and consumables through the Konica Minolta service	V
IWS – panel customisation	Improved user-device interaction and enhanced productivity through full MFP panel customisation	V



### Finishing functionalities















mixplex/

mixmedia





insertion,

report









### Descriptions

bizhub 308  A3 multifunctional with 30 ppm b/w. Standard Emperon™ print controller with PCL 6, PCL 5, PostScript 3, PDF 1.7, XPS and 00XML support. Paper capacity of 500 + 500 sheets and 150-sheet manual bypass. Media from A6 to SRA3, 1.2 m banner and 52 − 300 g/m². 2 GB memory, 250 GB hard disk and Gigabit Ethernet standard.  DF-629 Document feeder Reversing automatic document feeder, capacity 100 originals  DF-704 Document feeder Dualscan automatic document feeder, capacity 100 originals  OC-511 Original cover Cover instead of ADF  PC-110 1 x Universal tray A5-A3, 500 sheets, 52-256 g/m²  PC-210 2 x Universal tray A4, 2,500 sheets, 52-256 g/m²  PC-410 Large capacity tray A4, 2,500 sheets, 52-256 g/m²  DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52-256 g/m²  FS-533 Inner finisher FS-536 Staple finisher 50-sheet stapling, 500 sheets max. output  FK-519 Punch kit for FS-533  PK-519 Punch kit for FS-536/SD  PK-520 Punch kit for FS-536/SD  PK-520 Punch kit for FS-536/SD  JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad For use instead of touchscreen  WT-506 Working table		
PostScript 3, PDF 1.7, XPS and 00XML support. Paper capacity of 500 + 500 sheets and 150-sheet manual bypass. Media from A6 to SRA3, 1.2 m banner and 52 – 300 g/m². 2 GB memory, 250 GB hard disk and Gigabit Ethernet standard.  DF-629 Document feeder Reversing automatic document feeder, capacity 100 originals  DF-704 Document feeder Dualscan automatic document feeder, capacity 100 originals  OC-511 Original cover Cover instead of ADF  PC-110 1 x Universal tray A5-A3, 500 sheets, 52-256 g/m²  PC-210 2 x Universal tray A4, 2,500 sheets, 52-256 g/m²  DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52-256 g/m²  PS-533 Inner finisher 50-sheet stapling, 500 sheets max. output  PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching  FS-536SD Booklet finisher 50-sheet staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output  FFS-536/SD PK-520 Punch kit 2/4 hole punching, autoswitching  FO-536/SD PK-520 Punch kit 2/4 hole punching, autoswitching  FO-536/SD Sparator Separation for fax output etc.  KP-101 10-Key pad For use instead of touchscreen	bizhub 308	A3 multifunctional with 30 ppm b/w. Standard
capacity of 500 + 500 sheets and 150-sheet manual bypass. Media from A6 to SRA3, 1.2 m banner and 52 – 300 g/m². 2 GB memory, 250 GB hard disk and Gigabit Ethernet standard.  DF-629 Document feeder Reversing automatic document feeder, capacity 100 originals  DF-704 Document feeder Dualscan automatic document feeder, capacity 100 originals  OC-511 Original cover Cover instead of ADF  PC-110 1 x Universal tray A5–A3, 500 sheets, 52–256 g/m²  PC-210 2 x Universal tray A5–A3, 2 x 500 sheets, 52–256 g/m²  PC-410 Large capacity tray A4, 2,500 sheets, 52–256 g/m²  DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52–256 g/m²  FS-533 Inner finisher 50-sheet stapling, 500 sheets max. output  PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching  FS-536SD Booklet finisher 50-sheet staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output  For FS-536/SD PK-520 Punch kit 2/4 hole punching, autoswitching  For FS-536/SD JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad For use instead of touchscreen		Emperon™ print controller with PCL 6, PCL 5,
bypass. Media from A6 to SRA3, 1.2 m banner and 52 – 300 g/m². 2 GB memory, 250 GB hard disk and Gigabit Ethernet standard.  Reversing automatic document feeder, capacity 100 originals  DF-704 Document feeder  Dualscan automatic document feeder, capacity 100 originals  OC-511 Original cover  Cover instead of ADF  PC-110 1 x Universal tray  A5-A3, 500 sheets, 52-256 g/m²  PC-210 2 x Universal tray  A5-A3, 2 x 500 sheets, 52-256 g/m²  PC-410 Large capacity tray  A4, 2,500 sheets, 52-256 g/m²  Provides storage space for print media and other materials  LU-302 Large capacity tray  A4, 3,000 sheets, 52-256 g/m²  FS-533 Inner finisher  FS-536 Staple finisher  FS-536 Staple finisher  FS-536 Staple finisher  FS-536SD Booklet finisher  For FS-536/SD  PK-520 Punch kit  For FS-536/SD  PK-520 Punch kit  For FS-536/SD  Separation for fax output etc.  KP-101 10-Key pad  For use instead of touchscreen		PostScript 3, PDF 1.7, XPS and OOXML support. Paper
52 – 300 g/m². 2 GB memory, 250 GB hard disk and Gigabit Ethernet standard.  DF-629 Document feeder Reversing automatic document feeder, capacity 100 originals  DF-704 Document feeder Dualscan automatic document feeder, capacity 100 originals  OC-511 Original cover Cover instead of ADF  PC-110 1 x Universal tray A5–A3, 500 sheets, 52–256 g/m²  PC-210 2 x Universal tray A5–A3, 2 x 500 sheets, 52–256 g/m²  PC-410 Large capacity tray A4, 2,500 sheets, 52–256 g/m²  DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52–256 g/m²  FS-533 Inner finisher 50-sheet stapling, 500 sheets max. output  PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching  FS-536 Staple finisher 50-sheet stapling, 3,200 sheets max. output  FS-536SD Booklet finisher 50-sheet staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output  FO FS-536/SD PK-520 Punch kit 2/4 hole punching, autoswitching  FS-536/SD PK-520 Punch kit 50-sheet stapling, autoswitching  FO FS-536/SD Sparator Separation for fax output etc.  KP-101 10-Key pad For use instead of touchscreen		capacity of 500 + 500 sheets and 150-sheet manual
Gigabit Ethernet standard.  DF-629 Document feeder Reversing automatic document feeder, capacity 100 originals  DF-704 Document feeder Dualscan automatic document feeder, capacity 100 originals  OC-511 Original cover Cover instead of ADF  PC-110 1 x Universal tray A5-A3, 500 sheets, 52-256 g/m²  PC-210 2 x Universal tray A5-A3, 2 x 500 sheets, 52-256 g/m²  PC-410 Large capacity tray A4, 2,500 sheets, 52-256 g/m²  DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52-256 g/m²  FS-533 Inner finisher 50-sheet stapling, 500 sheets max. output  PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching  FS-536 Staple finisher 50-sheet stapling, 3,200 sheets max. output  FS-536SD Booklet finisher 50-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output  For FS-536/SD  RK-520 Punch kit for FS-536/SD  KK-520 Punch kit for FS-536/SD  JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad  For use instead of touchscreen		bypass. Media from A6 to SRA3, 1.2 m banner and
Gigabit Ethernet standard.  DF-629 Document feeder Reversing automatic document feeder, capacity 100 originals  DF-704 Document feeder Dualscan automatic document feeder, capacity 100 originals  OC-511 Original cover Cover instead of ADF  PC-110 1 x Universal tray A5-A3, 500 sheets, 52-256 g/m²  PC-210 2 x Universal tray A5-A3, 2 x 500 sheets, 52-256 g/m²  PC-410 Large capacity tray A4, 2,500 sheets, 52-256 g/m²  DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52-256 g/m²  FS-533 Inner finisher 50-sheet stapling, 500 sheets max. output  PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching  FS-536 Staple finisher 50-sheet stapling, 3,200 sheets max. output  FS-536SD Booklet finisher 50-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output  For FS-536/SD  RK-520 Punch kit for FS-536/SD  KK-520 Punch kit for FS-536/SD  JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad  For use instead of touchscreen		52 – 300 g/m <sup>2</sup> . 2 GB memory, 250 GB hard disk and
capacity 100 originals  DF-704 Document feeder Dualscan automatic document feeder, capacity 100 originals  OC-511 Original cover Cover instead of ADF  PC-110 1 x Universal tray A5-A3, 500 sheets, 52-256 g/m²  PC-210 2 x Universal tray A5-A3, 2 x 500 sheets, 52-256 g/m²  PC-410 Large capacity tray A4, 2,500 sheets, 52-256 g/m²  DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52-256 g/m²  FS-533 Inner finisher 50-sheet stapling, 500 sheets max. output  PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching FS-536 Staple finisher 50-sheet staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output  FFS-536/SD  RU-513 Relay unit for FS-536/SD  PK-520 Punch kit for FS-536/SD  S-506 Job separator Separation for fax output etc.  KP-101 10-Key pad  For use instead of touchscreen		
DF-704 Document feeder Capacity 100 originals  OC-511 Original cover Cover instead of ADF  PC-110 1 x Universal tray A5-A3, 500 sheets, 52-256 g/m²  PC-210 2 x Universal tray A5-A3, 2 x 500 sheets, 52-256 g/m²  PC-410 Large capacity tray A4, 2,500 sheets, 52-256 g/m²  DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52-256 g/m²  FS-533 Inner finisher S0-sheet stapling, 500 sheets max. output  PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching  FS-536 Staple finisher S0-sheet staple finisher, 2,200 sheets max. output  FS-536SD Booklet finisher FS-536/SD  PK-520 Punch kit for FS-536/SD  PK-520 Punch kit for FS-536/SD  JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad  For use instead of touchscreen	DF-629 Document feeder	Reversing automatic document feeder,
capacity 100 originals  OC-511 Original cover Cover instead of ADF  PC-110 1 x Universal tray A5-A3, 500 sheets, 52-256 g/m² PC-210 2 x Universal tray A5-A3, 2 x 500 sheets, 52-256 g/m² PC-410 Large capacity tray A4, 2,500 sheets, 52-256 g/m² Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52-256 g/m² FS-533 Inner finisher S0-sheet stapling, 500 sheets max. output  PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching FS-536 Staple finisher S0-sheet stapling, 3,200 sheets max. output FS-536SD Booklet finisher 50-sheet staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output For FS-536/SD  RU-513 Relay unit For FS-536/SD PK-520 Punch kit 2/4 hole punching, autoswitching for FS-536/SD JS-506 Job separator Separation for fax output etc. KP-101 10-Key pad For use instead of touchscreen		capacity 100 originals
OC-511 Original cover Cover instead of ADF PC-110 1 x Universal tray A5-A3, 500 sheets, 52-256 g/m² A5-A3, 2 x 500 sheets, 52-256 g/m² PC-410 Large capacity tray A4, 2,500 sheets, 52-256 g/m² Provides storage space for print media and other materials LU-302 Large capacity tray A4, 3,000 sheets, 52-256 g/m² FS-533 Inner finisher FS-536 Staple finisher FS-536 Staple finisher FS-536 Staple finisher FS-536SD Booklet finisher FS-536/SD FK-520 Punch kit For FS-536/SD FK-520 Funch kit For FS-536/SD FF-536/SD FF	DF-704 Document feeder	Dualscan automatic document feeder,
PC-110 1 x Universal tray PC-210 2 x Universal tray A5-A3, 500 sheets, 52-256 g/m² PC-210 2 x Universal tray A5-A3, 2 x 500 sheets, 52-256 g/m² PC-410 Large capacity tray A4, 2,500 sheets, 52-256 g/m² Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52-256 g/m² PS-533 Inner finisher S0-sheet stapling, 500 sheets max. output PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching FS-536 Staple finisher S0-sheet stapling, 3,200 sheets max. output FS-536SD Booklet finisher S0-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output For FS-536/SD PK-520 Punch kit Tor FS-536/SD PK-520 Punch kit Tor FS-536/SD S-506 Job separator Separation for fax output etc. KP-101 10-Key pad  For use instead of touchscreen		capacity 100 originals
PC-210 2 x Universal tray PC-410 Large capacity tray A4, 2,500 sheets, 52–256 g/m² Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52–256 g/m² Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52–256 g/m² FS-533 lnner finisher FS-533 2/4 hole punching, autoswitching FS-536 Staple finisher FS-536SD Booklet finisher FS-536SD Booklet finisher FO-sheet stapling, 3,200 sheets max. output FO-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output FO-FS-536/SD Installation FO-FS-536/SD Installation FO-FS-536/SD FK-520 Punch kit FO-FS-536/SD JS-506 Job separator Separation for fax output etc. FO-101 10-Key pad FO-FS-536/SD FO-	OC-511 Original cover	Cover instead of ADF
PC-410 Large capacity tray DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52–256 g/m² FS-533 Inner finisher S0-sheet stapling, 500 sheets max. output PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching FS-536 Staple finisher S0-sheet staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output FS-536SD Booklet finisher For FS-536/SD installation  RU-513 Relay unit for FS-536/SD PK-520 Punch kit for FS-536/SD S-506 Job separator Separation for fax output etc. KP-101 10-Key pad  A4, 2,500 sheets, 52–256 g/m² A4, 3,000 sheets, 52–256 g/m² S0-sheet stapling, 3,200 sheets max. output FS-536 Sab Installation S0-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output For FS-536/SD S-506 Job separator Separation for fax output etc. FOR JOB SEPARATION SHEET STANDARD SHEET STANDARD SHEET S	PC-110 1 x Universal tray	A5-A3, 500 sheets, 52-256 g/m <sup>2</sup>
DK-510 Copier desk Provides storage space for print media and other materials  LU-302 Large capacity tray A4, 3,000 sheets, 52–256 g/m² FS-533 Inner finisher 50-sheet stapling, 500 sheets max. output PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching FS-536 Staple finisher 50-sheet stapling, 3,200 sheets max. output FS-536SD Booklet finisher 50-sheet staple finisher, 2,200 sheets max. output RU-513 Relay unit For FS-536/SD installation  FOR FS-536/SD PK-520 Punch kit 2/4 hole punching, autoswitching for FS-536/SD JS-506 Job separator Separation for fax output etc. KP-101 10-Key pad For use instead of touchscreen	PC-210 2 x Universal tray	, ,
materials  LU-302 Large capacity tray A4, 3,000 sheets, 52–256 g/m² FS-533 Inner finisher PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching FS-536 Staple finisher 50-sheet stapling, 3,200 sheets max. output FS-536SD Booklet finisher 50-sheet staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output For FS-536/SD RU-513 Relay unit for FS-536/SD PK-520 Punch kit for FS-536/SD S-506 Job separator Separation for fax output etc. KP-101 10-Key pad  A4, 3,000 sheets, 52–256 g/m² So-sheets stapling, 3,200 sheets max. output For FS-536SD booklet finisher, 2,200 sheets max. output So-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output So-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output So-sheets stapling, 3,200 sheets max. output So-sheet stapling, 3,200 sheets max. output	PC-410 Large capacity tray	A4, 2,500 sheets, 52–256 g/m <sup>2</sup>
LU-302 Large capacity tray FS-533 Inner finisher FK-519 Punch kit for FS-533 FS-536 Staple finisher FS-536SD Booklet finisher FS-536SD Booklet finisher FO-536SD Booklet finisher FO-536SD FO-536SD FK-520 Punch kit For FS-536/SD FK-520 Punch kit For FS-536SD FK-520 Punch kit For FS-536SD FK-520 Punch kit For FS-536SD FK-520 Funch Kit For FS-536SD FF-536SD FF-5	DK-510 Copier desk	Provides storage space for print media and other
FS-533 Inner finisher  PK-519 Punch kit for FS-533  2/4 hole punching, autoswitching  FS-536 Staple finisher  50-sheet stapling, 3,200 sheets max. output  50-sheet stapling, 3,200 sheets max. output  50-sheet staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output  For FS-536/SD  PK-520 Punch kit  for FS-536/SD  JS-506 Job separator  KP-101 10-Key pad  50-sheet stapling, 3,200 sheets max. output  For FS-536/SD installation  50-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output  50-sheet stapling, 3,200 sheets max. output  60-sheet stapling, 3,200 sheets max. o		materials
PK-519 Punch kit for FS-533 2/4 hole punching, autoswitching FS-536 Staple finisher 50-sheet stapling, 3,200 sheets max. output FS-536SD Booklet finisher 50-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output For FS-536/SD installation for FS-536/SD PK-520 Punch kit 2/4 hole punching, autoswitching for FS-536/SD JS-506 Job separator Separation for fax output etc. KP-101 10-Key pad For use instead of touchscreen		
FS-536 Staple finisher  FS-536SD Booklet finisher  FS-536SD Booklet finisher  S0-sheets staple finisher, 20-sheets booklet finisher, 2,200 sheets max. output  For FS-536/SD installation  For FS-536/SD punch kit  For FS-536/SD  FK-520 Punch kit  For FS-536/SD  JS-506 Job separator  Separation for fax output etc.  KP-101 10-Key pad  S0-sheet stapling, 3,200 sheets max. output  For FS-536/SD installation  For FS-536/SD installation  For FS-536/SD substituting  S2/4 hole punching, autoswitching  For FS-536/SD substitution  For FS-53	FS-533 Inner finisher	50-sheet stapling, 500 sheets max. output
FS-536SD Booklet finisher 50-sheets staple finisher, 2,200 sheets max. output  RU-513 Relay unit For FS-536/SD installation  for FS-536/SD  PK-520 Punch kit 2/4 hole punching, autoswitching  for FS-536/SD  JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad For use instead of touchscreen	PK-519 Punch kit for FS-533	
2,200 sheets max. output  RU-513 Relay unit For FS-536/SD installation  for FS-536/SD  PK-520 Punch kit 2/4 hole punching, autoswitching  for FS-536/SD  JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad For use instead of touchscreen	FS-536 Staple finisher	50-sheet stapling, 3,200 sheets max. output
RU-513 Relay unit for FS-536/SD installation  FOR FS-536/SD  PK-520 Punch kit 2/4 hole punching, autoswitching for FS-536/SD  JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad For use instead of touchscreen	FS-536SD Booklet finisher	50-sheets staple finisher, 20-sheets booklet finisher,
for FS-536/SD PK-520 Punch kit 2/4 hole punching, autoswitching for FS-536/SD JS-506 Job separator Separation for fax output etc. KP-101 10-Key pad For use instead of touchscreen		2,200 sheets max. output
PK-520 Punch kit 2/4 hole punching, autoswitching for FS-536/SD  JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad For use instead of touchscreen	RU-513 Relay unit	For FS-536/SD installation
for FS-536/SD       JS-506 Job separator     Separation for fax output etc.       KP-101 10-Key pad     For use instead of touchscreen	for FS-536/SD	
JS-506 Job separator Separation for fax output etc.  KP-101 10-Key pad For use instead of touchscreen	PK-520 Punch kit	2/4 hole punching, autoswitching
KP-101 10-Key pad For use instead of touchscreen	for FS-536/SD	
To the part of the part of the total of the		· · · · · · · · · · · · · · · · · · ·
WT-506 Working table Authentication device placement		Tor doc motoda or todoriooroon
	WT-506 Working table	Authentication device placement

FK-514 Fax board	Super G3 fax, digital fax functionality
KH-102 Keyboard holder	To place USB keyboard
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection, Bluetooth
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader
AU-102 Biometric	Finger vein scanner
authentication	
SC-508 Security kit	Copy Guard function (2 kits required if DF-704 is installed)
HD-524 Hard disk mirroring	Back-up HDD
BT-C1e Banner tray	Multipage banner feeding
LK-102v3 PDF enhancements	PDF/A (1b), PDF encryption, digital signature
LK-105v4 OCR text recognition	Searchable PDF and PPTX, PDF/A (1a)
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document	Generates various file formats incl. DOCX, XLSX and
converter pack	PDF/A
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LK-114 Serverless	Secure and Follow Me printing solution requiring no
Pull Printing	server application. Host device requires 4 GB memory.
	(Available from April 2017)
LK-115v2 TPM activation	Trusted Platform Module for protection of data
	encryption and decryption
UK-211 Upgrade kit	2 GB memory extension for upgrades
UK-215 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
SX-BR-4600 Wireless LAN	Wireless LAN to network connector
MK-745 Mount kit	Installation kit for CU-101
CU-101 Air cleaning unit	Improving indoor air quality by reduced emissions

### Technical specifications

### SYSTEM SPECIFICATIONS

STSTEIN SPECIFICATIO	טות
System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10-Base-T/100-Base-T/1,000-Base-T Ethernet; USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Network protocols	TCP/IP (IPv4/IPv6); NetBEUI; SMB; LPD; IPP; SNMP; HTTP
Automatic document	Up to 100 originals; A6–A3; 35–163 g/m <sup>2</sup>
feeder (optional)	RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customised paper sizes;
	banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m <sup>2</sup>
Paper input capacity	1,150 sheets/6,650 sheets
(standard/max)	
Paper tray input	1x 500 sheets; A5–A3; 52–256 g/m²
(standard)	1x 500 sheets; A5–SRA3; 52–256 g/m <sup>2</sup>
Paper tray input	1x 500 sheets; A5–A3; 52–256 g/m²
(optional)	1x 500 sheets; A5-A3; 52-256 g/m <sup>2</sup>
	1x 2,500 sheets; A4; 52-256 g/m <sup>2</sup>
Large capacity tray	1x 3,000 sheets; A4; 52–256 g/m <sup>2</sup>
(optional)	
Manual bypass	150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m <sup>2</sup>
Automatic duplexing	A5-SRA3; 52-256 g/m <sup>2</sup>
Finishing modes	Offset; group; sort; staple; punch; half-fold; letter-fold;
(optional)	booklet
Output capacity	Max. 250 sheets
(standard)	
Output capacity	Max. 3,300 sheets
(optional)	
Stapling	Max. 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²)
Stapling output capacity	Max. 1,000 sheets
Letter fold	Max. 3 sheets
Letter fold capacity	Max. 30 sheets; unlimited (without tray)
Booklet	Max. 20 sheets or 19 sheets + 1 cover sheet (up to 209 g/m²)
<b>Booklet output capacity</b>	Max.: 100 sheets; unlimited (without tray)
Copy/print volume	Rec.: 10,000 pages
(monthly)	Max.1: 150,000 pages
Toner lifetime	Up to 24,000 pages
Imaging unit lifetime	Up to 150,000/600,000 pages (drum/developer)
Power consumption	220-240 V / 50/60 Hz; Less than 1.58 kW (system)
System dimensions	615 x 725 x 779 mm (without options)
(W x D x H)	
System weight	Approx. 76.5 kg (without options)

### PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi; 1,200 x 1,200 dpi
Page description	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
language	
Operating System	Windows VISTA (32/64); Windows 7 (32/64);
	Windows 8/8.1 (32/64); Windows 10 (32/64);
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2012; Windows Server 2012 R2;
	Windows Server 2016;
	Macintosh OS X 10.7 or later;
	Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Print functions	Direct print of PCL/PS/TIFF/XPS; PDF (v1.7);
	encrypted PDF files and OOXML (DOCX/XLSX/PPTX);
	mixmedia and mixplex; "Easy Set" job programming;
	overlay; watermark; copy protection; carbon copy print
Mobile Printing	AirPrint (iOS); Mopria (Android);
	Konica Minolta Print Service (Android);
	PageScope Mobile (iOS/Android/Windows 10 Mobile);
	Mobile Authentication and Pairing (iOS/Android)
	optional: Google Cloud Print; WiFi Direct

### SCANNER SPECIFICATIONS

Scan speed	Up to 160 ipm (with optional document feeder)
(mono/colour)	
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);
	Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;
	Scan-to-DPWS; Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS;
	compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable
	DOCX/PPTX/XLSX
Scan destinations	2,100 (single + group); LDAP support
Scan functions	Annotation (text/time/date) for PDF; up to 400 job programs;
	real-time scan preview

bizhub 308

### **COPIER SPECIFICATIONS**

OUT ILIT OF LOW TOATT	0140
Imaging technology	Laser
Toner technology	Simitri® HD polymerised toner
Copy/print speed A4	Up to 30 ppm
Copy/print speed A3	Up to 15 ppm
Autoduplex speed A4	Up to 30 ppm
1st copy out time	5.4 sec.
Warm-up time	Approx. 20 sec. <sup>2</sup>
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1–9,999
Original format	A5–A3; custom sizes
Magnification	25-400% in 0.1% steps; auto-zooming
Copy functions	Chapter; cover and page insertion; proof copy (print and
	screen); adjustment test print; digital art functions; job set-
	ting memory; poster mode; image repeat; overlay (optional);
	stamping; copy protection

### FAX SPECIFICATIONS

TAX OF LOW TO ATTOMO	
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi (ultra-fine)
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)
Fax functions	Polling; time shift; PC-Fax; receipt to confidential box;
	Receipt to e-mail/FTP/SMB; up to 400 job programs

USER BOX SPECIFICATIONS	
Storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public
	Personal (with password or authentication)
	Group (with authentication)
Type of system boxes	Secure print
	Encrypted PDF print
	Fax receipt
	Fax polling
User box functionality	Reprint; combination
	Download
	Sending (e-mail/FTP/SMB and Fax)
	Copy box to box

### SYSTEM FEATURES

0.0.2	
Security	ISO15408 Common Criteria (in evaluation);
	IP filtering and port blocking;
	SSL2; SSL3 and TLS1.0/1.1/1.2 network communication;
	IPsec support; IEEE 802.1x support; User authentication;
	Authentication log; Secure print;
	Hard disk overwrite (8 standard types);
	Hard disk data encryption (AES 256);
	Memory data auto deletion; Confidential fax receipt;
	Print user data encryption
	optional: Hard disk mirroring;
	Copy protection (Copy Guard, Password Copy)
Accounting	Up to 1,000 user accounts; Active Directory support
-	(user name + password + e-mail + smb folder);
	User function access definition;
	Authentication by mobile device (Android/iOS)
	optional: Biometric authentication (finger vein scanner);
	ID card authentication (ID card reader)
Software	PageScope Net Care Device Manager
	PageScope Data Administrator
	PageScope Box Operator
	PageScope Direct Print
	Print Status Notifier
	Driver Packaging Utility
	Log Management Utility

 $<sup>^{\</sup>mbox{\scriptsize 1}}$  If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 g/m² quality.
   The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
   The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
   Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
   Konica Minolta does not warrant that any specifications mentioned will be error-free.
   All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.







































<sup>&</sup>lt;sup>2</sup> Warm-up time may vary depending on the operating environment and usage

## **YOUR EMPLOYEES' POTENTIAL:** WE'LL HELP YOU USE IT TO THE FULL!

With office solutions from Konica Minolta, you and your employees can really get ahead. This is so because our solutions are geared to your requirements, not the other way round. We focus on achieving a perfect symbiosis of the paper and digital worlds. After all, it is the entire document life cycle that counts.

### ✓ The complete document life cycle

Printing is only one part of the document life cycle. We know there's more to it than that (such as creation, archiving and retrieval). Information is a valuable "resource". but you can only use it to the full if you view the document life cycle as a whole.

### Intelligent document creation

Scan in paper documents, perform text recognition and output forms and barcodes - these functions provide the perfect basis for automatic forwarding, editing and archiving.

### Edit paper documents in Word and Excel

To edit paper-based documents electronically, simply scan in your paper documents and you're ready to go. It's as easy as that! Time-consuming transcription work immediately becomes a thing of the past.

### Easy archiving solutions

Easy and efficient archiving solutions based on searchable PDF files enable you to locate archived documents quickly.

### Good to know!

Statistically speaking, each employee spends an average of 7.4 hours a week searching for data. It doesn't have to be that way! (IDC 2010)



Greater effectiveness on the move: mobile printing from smartphones and tablets

Now you can print from mobile devices and take advantage of mobile data entry whenever and wherever you want, thanks to Wi-Fi, e-mail and AirPrint.

### Manage documents efficiently

We can offer two options: 1) Solutions to scan your documents directly into your existing document management system or 2) a completely new DMS, which we will develop and implement for you. Your needs come first.

### Follow-me printing

Want to be able to send your print job and collect the document from any device on the network? With followme printing, you can. That's just one example of the many ways we can facilitate mobile working.