







bizhub 3622

Customer benefits




Mobile connectivity

Print anytime from anywhere with Konica Minolta's innovative mobile technologies



ServicesEfficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

Options













Finishing functionalities





Duplex

stapling (off-line)

Descriptions

bizhub 3622

A4 multifunctional with 36 ppm b/w. Standard print controller with PCL 5/6, PostScript 3 and XPS support. Paper capacity of 250 sheets and 100-sheet manual bypass. Media from A6 to A4 and 60–216 g/m². 1 GB memory and Gigabit Ethernet standard

ENHANCED FEATURES

UK-P12 User flash	256 MB User flash for storing fonts, forms and macros or to
	save job account log
UK-P13 Barcode card	Printer-based electronic barcode engine
UK-P14 IPDS card	Provides compatibility for IPDS printing

CU-203 Air cleaning unit	Improving indoor air quality by reduced emissions
MEDIA INPUT	
PF-P15 Paper tray	A5-A4, 250 sheets, 60-120 g/m ²
PF-P16 Paper tray	A5-A4, 550 sheets, 60-120 g/m ²
SCD-4000e Copier desk	Ensures ergonomic height and provides storage space
	for print media, etc.
MEDIA OUTPUT	
EH-C591 Convenience stapler	Convenient stapling of up to 50 prints per set

Technical specifications

SYSTEM SPECIFICATIONS

Panel size/resolution	2.4" / 320 x 240
System memory	1 GB (standard)
Interface	10-Base-T/100-Base-TX/1,000-Base-T Ethernet; USB 2.0;
	Wi-Fi 802.11b/g/n
Network protocols	TCP/IP (IPv4 / IPv6); UDP; AppleTalk; SMB;
	LPD; IPP; SNMP; HTTP/S
Automatic document feeder	Up to 50 originals; A6-A4; 52-120 g/m ²
Printable paper size	A6-A4, customised paper sizes
Printable paper weight	60-216 g/m ²
Paper input capacity	Standard: 350 sheets; Max.: 900 sheets
Paper tray input (standard)	250 sheets, A6-A4, 60-120 g/m ²
Paper tray input (optional)	250/550 sheets; A5-A4; 60-120 g/m ²
Manual bypass	100 sheets, A6-A4, custom sizes, 60-216 g/m ²
Automatic duplexing	A4; 60–90 g/m ²
Output capacity	Max.: 150 sheets
Copy/print volume (monthly)	Rec.: 3,600 pages; Max.1: 50,000 pages
Toner lifetime	15,000 pages
Imaging unit lifetime	60,000 pages
Power consumption	220-240 V / 50/60 Hz; Less than 550 W
System dimensions (W x D x H)	399 x 429.5 x 467 mm
System weight	Approx. 19.4 kg

PRINTER SPECIFICATIONS

Print resolution	1,200 x 1,200 dpi
Page description language	PCL 5/6; PostScript 3; XPS
Operating systems	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64);
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2012; Windows Server 2012 R2;
	Windows Server 2016; Macintosh OS X 10.9 or later;
	Linux; Citrix
Printer fonts	89 PCL Latin; 158 PostScript 3 Emulation Latin
Print functions	Duplex; n-up; watermark; cover sheet; electronic sorting;
	secure print
Mobile Printing	AirPrint (iOS), Mopria (Android), Google Cloud Print, Konica
	Minolta Mobile Print (iOS, Android & Windows 10 Mobile),
	Konica Minolta Print Service (Android), Wifi Direct
COPIER SPECIFICATIONS	
Copying process	Electrostatic laser
0	H. I. 00

OUT IEIT OF EOII TO/THONG	
Copying process	Electrostatic laser
Copy/print speed A4	Up to 36 ppm
Autoduplex copy/print speed A4	Up to 19 ppm
1st copy out time	6.0 sec.
Copy resolution	600 x 600 dpi
Multicopy	1–999
Original format	A6-A4
Magnification	25–400%
Copy functions	Duplex; 2-in-1; 4-in-1; page insertion; overlay;
	electronic sorting; ID copy; margin shift;
	background removal

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 42/20 ipm
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Scan-to-eMail; Scan-to-FTP; Network TWAIN scan
File formats	PDF; TIFF; JPEG; XPS
Scan function	Up to 500 job programs
FAX SPECIFICATIONS	

FAX SPECIFICATIONS	
Fax standard	Super G3
Fax transmission	Analogue
Fax resolution	Max.: 600 x 600 dpi (ultra-fine)
Fax compression	MH; MR; MMR; JBIG; JPEG
Fax modem	Up to 33.6 Kbps
Fax destinations	400
Fax functions	Time shift; PC-Fax; up to 500 job programs; block Junk Fax;
	banned fax list; fax forwarding; fax server support

SYSTEM FEATURES

Security	SNMPv3; HTTPS; TCP/UDP port disabling; IEEE 802.1x
	support (wireless); secure print (print hold/PIN); certificate
	management; SMTP authentication
Software	PageScope Net Care Device Manager

 $^{\mbox{\scriptsize 1}}$ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.

 All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Cartridge Return Program
Konica Minolta Return Program cartridges are patented print cartridges sold at a discount in exchange for the customer's agreement to the license requirement that the cartridges will be used only once and returned only to manufacturer for remanufacturing or recycling. These patented cartridges are licensed for single use only and will stop working after delivering a fixed amount of toner. Toner may remain in the cartridge when replacement is required. Replacement cartridges sold without these restrictions (non-returnable cartridges) are also available. Please contact a Konica Minolta representative for further details and availability.























